



I DUCTOR 4.0

UNIQUE BENEFITS

- 7x4 cm character digital LCD control display
- Dial selector control knob used to adjust the power intensity
- Power board unit
- Foot pedal accessory with cable (2,2 m)
- Glass remover accessory with cable (2,2 m)
- Heating glove accessory with cable (2,2 m)
- Nut-bolt heater with cable (2,2 m)
- Dent removal with cable (2,2 m)

APPLICATION

- Heated rear windows
- Side windows
- Car sunroof glass
- Moldings
- Adhesives and stickers without residues paint
- Sealants and/or sound insulation materials
- Tar liner
- Structural glue



NEW AIR INDUCTOR

Technical features

 195x360x300h mm

 340x430x320h mm

 12 KG

 Input power 3,0 kW - 16 A
Electrical connection IEC60309

 230V/1PH - 50/60 

 Working frequency 19 KHz

 3 m Network cable

IP IP 23 Degree of protection

 Main circuit breaker

   Directives and Certification



I DUCTOR 4.0 Suite

I DUCTOR 4.0 is available in different combinations according to the different accessories included.

ART - I DUCTOR WS - Workshop Basic

Generator + Nut-Bolt heater



ART: IND/BULL 4.0
NUT-BOLT HEATER

ART - I DUCTOR BS - Bodyshop Basic

Generator + Glass Remover



ART: IND/GLASS.C
GLASS REMOVER

ACCESSORIES



ART: HP-4.0
AIR INDUCTOR



ART: ED-4.0
ACCESSORY WITH COIL



ART: MGBM - 446/1
2 x PLASTIC WEDGE



ART: IND/GLOVE.C
HEATING GLOVE



ART: IND/GLASS.C
GLASS REMOVER



ART: IND/BULL 4.0
NUT-BOLT HEATER



ART: DENT-001.C
DENT REMOVAL



COMBO | I DUCTOR 4.0 STANDARD ACCESSORIES

All accessories are compatible for both I DUCTOR 4.0 and Combo except the nut heater available only for the I DUCTOR 4.0



ART: IND/GLOVE.C
HEATING GLOVE



ART: DENT-001.C
DENT REMOVAL



ART: IND/GLASS.C
GLASS REMOVER



ART: IND/BULL 4.0
NUT-BOLT HEATER (only for I DUCTOR 4.0)



ART: IND/PNEUM
FOOT PEDAL



ART: MGBM - 446/1
PLASTIC WEDGE
