



Nussbaum

JUMBO LIFT

3200 KG | 3500 KG | 4000 KG

EXPERTS DO NOT COMPROMISE

Longest lifting platforms for – T5, Vito and Vivaro* at the original pick-up points

Fast lifting & lowering times

Fully hydraulic System with NT technology – robust & reliable

Patented **HyperFlow** Technology



*SHORT WHEEL BASE BY LIFTING WITH JUMBO LIFT 3500 AND 4000 NT



DOUBLE-SCISSOR LIFTS



JUMBO LIFT


DOUBLE-SCISSOR LIFTS

JUMBO LIFT NT – lifting from Vito, Vivaro up to VW T5 with short wheel base

Follow the trend for workshops – lifting heavy vehicles such as SUVs, 4-wheel vehicles up to VW T5 with short wheel base and comparable.



VW UP



Safe and flexible lifting platform

lengthwise adjustable for lifting a wide range of vehicles (*JUMBO LIFT 3200 NT)



Maximum lifting height

effective lifting stroke of 2000 mm – enough space under the vehicle, also for in-ground installation

Free access

between the scissors, there is no mechanical connection between platforms



Patented HyperFlow Technology

- The synchronization is automatically set and adjusted at any time
- No need for manual setting of synchronism
- Automatic „bleeding“ of the system during operation
- Available on JUMBO LIFT 3200 & 3500 NT

Long-life cycle & Stable

- Lubricating nipples at the bolts provide an easy maintenance and secure the long-life cycle
- High quality steel construction ensures directional stability

Compact oil-submerged motor

- Robust oil-submerged motor with push button control and lockable control unit
- space-saving
- quiet running

Flat construction

Low construction height possible an above-ground installation and driving-on, also for low clearance vehicles

NT Technology = Perfect & smooth running powerful, safe, steady

The redundant fully hydraulic system guarantees maximum operating safety through using two independent hydraulic circuits

Long-lasting, thank to fully hydraulic system


- No need of safety ratchet
- No electrical and pneumatic components at the lift



Flaps to increase the length of the ramps, easy to lock and unlock with one hand



Special color extra charge



JUMBO LIFT NT: SOLUTION FOR ANY WORKSHOP



JUMBO LIFT 3200 NT – for vehicles up to VW T4 with short wheel base and similar vehicles | Optional in-ground and above-ground installation



JUMBO LIFT 3500 NT – for vehicles up to VW T5 with short wheel base and similar vehicles | Optional in-ground and above-ground installation



JUMBO LIFT 4000 NT – for vehicles up to VW T5 with short wheel base and similar vehicles | In-ground installation



JUMBO LIFT

DOUBLE-SCISSOR LIFTS

CLASS LEADER IN ALL DISCIPLINES

JUMBO LIFT NT	3200	3500	4000
Lifting height (kg)	3200	3500	4000
Lifting time approx. (sec)	36	30	35
Lifting height (mm)	2000	2000	2000
Drive-on height (mm)	105	105	135
Installation depth (mm)	105	105	135
Total width (mm)	2020	2020	2020
Platform width (mm)	610	610	610
Platform length (mm)	1460–2060	1460–2160	1460–2160
Motor (kW)	3	3	3
Power supply (V/Hz)	400/50	400/50	400/50



Accessories: truncated pyramid pad



Polymer pads

ACCESSORIES	3200	3500	4000
Rubber truncated pyramid pad	•	•	•
Polymer pad: 50 x 150 x 340mm	•	•	•
Polymer pad: 100 x 150 x 340mm	•	•	•
Tuning ramps for low clearance vehicles, set = 4 units	•	•	–
CE-Stop for in-ground installation (• serially o optional for in-ground)	o	o	•

SURFACE TREATMENT

Oxygen care coated for corrosive environment	•	•	•
--	---	---	---

MADE IN GERMANY

Nussbaum



The family business from Kehl am Rhein with over 1.200 employees and 120 trainees produces its products exclusively in Germany utilizing a vertical range of manufacturing using the latest technological processes and machines with complete quality control, making NUSSBAUM the leader for automotive lifts in Germany.

