

READY TO USE

BLUELIQUID SRBLPE+


READY TO USE CLEANING SOLUTION FOR USE IN BIOLOGICAL PARTS WASHER

TECHNICAL DATA SHEET

EN_FT_BlueLiquid SRBLPE+_V1.5
30/03/2016

1. USE

- ✓ **BlueLiquid SRBLPE+** is an aqueous solution designed for industrial cleaning use, composed of specific surface active agents.
- ✓ It is formulated to remove and eliminate from surface, the following kind of soiling: grease, oil, solids, carbonaceous residues, various deposits...
- ✓ It is specifically developed for bioremediation of oils and greases: BLUEREMEDIS TAB process®



FOR PROFESSIONAL USE

- No labelling
- Solvent free
- No Phosphate
- No preservative
- Biodegradable surfactants
- Effective
- Economic
- Reduces environmental impact
- **BLUEREMEDIS TAB Process®**

2. INSTRUCTIONS FOR USE

BlueLiquid SRBLPE+ is used directly, without dilution.

To implement the BLUEREMEDIS TAB phenomenon®, add 1 BlueTablet SRBT (micro-organisms concentrate) when installing your fountain. Then, depending on frequency of use, add one tab every 4 to 6 weeks.

Caution: the product has specific corrosion inhibitors for temporary protection between operations and we recommend performing tests in order to validate the correct protocol to use. It is however not long lasting protection for which we recommend to apply a special protective film.

3. PACKAGING

BlueLiquid SRBLPE+, water soluble

PFCOFOL04P-100 : 20L canister

PFCOFOL04P-200 : 209L drum

PFCOFOL04P-300 : 1000L container

READY TO USE

BLUELIQUID SRBLPE+

READY TO USE CLEANING SOLUTION FOR USE IN BIOLOGICAL PARTS WASHER

TECHNICAL DATA SHEET

EN_FT_BlueLiquid SRBLPE+_V1.5
30/03/2016

FOR PROFESSIONAL USE

PROPERTIES

PROPERTIES	VALUE
Colour	Pale blue
Aspect	Clear
Scent	None
pH	9 - 9.7
Specific gravity	1.00 – 1.01
Temperature of use	20-45°C 38°C for the BLUEREMEDIS TAB Process®

*For further information, please contact us or see the SDS for this product

BlueLiquid SRBLPE+ can be used on most plastics, ferrous and non-ferrous metals. It respects the environment and the health and safety of operators.

Recommendations:

- Limit the soaking time. Never soak a part all night long.
- Compatibility tests should be performed with sensitive metals such as zinc, brass and aluminium alloys, including those with silicon content.

4. STORAGE

Store in normal storage conditions and away from light.
Avoid frost.

5. DISPOSAL CONSIDERATIONS

Do not drain the solution to the sewerage system; it must be treated in compliance with current regulation.

- **No labelling**
- **Solvent free**
- **No Phosphate**
- **No preservative**
- **Biodegradable surfactants**
- **Effective**
- **Economic**
- **Reduces environmental impact**
- **BLUEREMEDIS TAB Process®**

The information in this sheet expresses our knowledge and results from tests performed with objectivity as a constant priority. On no account may this information be considered as a guarantee, or an engagement of our responsibility in the event of improper use. Before using the product, tests should be performed to check that the methods of use and conditions of application are satisfactory. Our specialists are available for users to assist them in finding the best solutions for their requirements.